INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Multiple sheets used when necessary)
SHEET 1 OF 1

	PTO/SB/08 Equivalen
Application No.	10/796,298
Filing Date	March 9, 2004
First Named Inventor	Masato Mitsuhashi
Art Unit	1634
Examiner	Frank Wei Min Lu
Attorney Docket No.	HITACHI.055CP2

U.S. PATENT DOCUMENTS						
Examiner Initials	Cite No. Document Number Number - Kind Code (if known) Example: 1,234,567 B1 1 5,175,109	Number - Kind Code (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	
/F.L./		12-29-1992	Sakata, et al.			
1	2	6,268,121	07-31-2001	Takeshita, et al.		
	3	6,511,830	01-28-2003	Takahashi, et al.		
	4	6,617,170	09-09-2003	Augello, et al.		
V	5	2003/0170669	09-11-2003	Garvin		

FOREIGN PATENT DOCUMENTS							
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹	
/F.L./	6	EP 1138780 A1	10/04/2001	Roche Diagnostics GmbH			

			NON PATENT LITERATURE DOCUMENTS			
Examiner Initials		Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city, and/or country where publishers.			
		7	RAINERI I., et al. "Improved efficiency for single-sided PCR by creating a reusable pool of first-strand cDNA coupled to a solid phase," <i>Nucleic Acids Research</i> , Vol. 19, No. 14, 1991, p. 4010.			
		8 .	TOMINAGA K., et al. "Colorimetric ELISA measurement of specific mRNA on immobilized- oligonucleotide-coated microtiter plates by reverse transcription with biotinylated mononucleotides," <i>Clinical Chemistry</i> , vol. 42, No. 11, 1996, pp. 1750-1787.			
		9	VLEMS F.A., et al. "Reliability of quantitative reverse-transcriptase-PCR-based detection of tumour cells in the blood between different laboratories using a standardised protocol," European Journal of Cancer, Vol. 39, No. 3, 2003, pp. 386-396.			
1	1	10	Qiagen, RNeasy MinElute Cleanup Handbook, 2003, pp. 1-30.			

6482371 011409

Examiner Signature	/Frank Lu/	Date Considered	02/02/2009

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.